

# Metadata

Field	Value
<b>Title</b>	Spatial distribution of water quality and phytoplankton in the Upper Manitoba Great Lakes
	Abstract
<b>Publication general type</b>	thesis
<b>Project Name</b>	[4fa3a804-a8cb-4178-b4e1-4209f76ca184]
<b>Keyword Vocabulary</b>	Polar Data Catalogue
<b>Keyword Vocabulary URL</b>	
<hr/>	
<b>Theme</b>	
<b>Title</b>	Freshwater
<b>URL</b>	<a href="https://canwin-datahub.ad.umanitoba.ca/data/group/freshwater">https://canwin-datahub.ad.umanitoba.ca/data/group/freshwater</a>
<b>Version</b>	1.0
<hr/>	
<b>Publisher</b>	University of Manitoba
<hr/>	
<b>Date Published</b>	2025
<hr/>	
<b>DOI</b>	10.34991/631F-EZ50
<hr/>	
<b>Authors</b>	

Field	Value
<b>Authors 1</b>	
<b>Author Name</b>	Herbert, Claire
<b>Type of Name</b>	Personal
<b>Email</b>	<a href="mailto:claire.herbert@umanitoba.ca">claire.herbert@umanitoba.ca</a>
<b>Affiliation</b>	Centre for Earth Observation Science - University of Manitoba
<b>ORCID ID</b>	0000-0003-2724-4200
ORCID	
<a href="http://orcid.org/">http://orcid.org/</a>	
<b>License Name</b>	
Creative Commons Attribution-NoDerivatives 4.0 International	
<b>Licence Type</b>	
Open	
CC-BY-ND-4.0	
<b>Licence Schema Name</b>	
SPDX	
<b>Licence URL</b>	
<a href="https://spdx.org/licenses">https://spdx.org/licenses</a>	
<b>Awards</b>	

Field	Value
<b>Awards 1</b>	
<b>Funded by</b>	Canada Research Chair in Arctic System Science
<b>Website</b>	<a href="https://www.nserc-crsng.gc.ca/ase-oro/Details-Detailles_eng.asp?id=557018">https://www.nserc-crsng.gc.ca/ase-oro/Details-Detailles_eng.asp?id=557018</a>
<b>Funder Name</b>	National Science and Engineering Council
<b>Funder Identifier Code</b>	<a href="https://doi.org/10.13039/501100000038">https://doi.org/10.13039/501100000038</a>
<b>Funder Identifier Type</b>	Crossref Funder ID
<b>Funder Identifier Scheme</b>	<a href="https://www.crossref.org/services/funder-registry">https://www.crossref.org/services/funder-registry</a>
<b>Grant Number</b>	
<b>Awards 2</b>	
<b>Funded by</b>	Lake Winnipeg Foundation
<b>Website</b>	<a href="https://lakewinnipegfoundation.org/">https://lakewinnipegfoundation.org/</a>
<b>Funder Name</b>	Lake Winnipeg Foundation
<b>Funder Identifier Code</b>	
<b>Funder Identifier Type</b>	
<b>Funder Identifier Scheme</b>	
<b>Grant Number</b>	
<b>Related Resources</b>	

Field	Value
<b>Related Resources 1</b>	
<b>Related Resource Name</b>	Map of chemistry data for Claire Herbert thesis
<b>Identifier Code</b>	<a href="https://mbglchem.umcanwin.ca/">https://mbglchem.umcanwin.ca/</a>
<b>Identifier Type</b>	URL
<b>Relationship to this publication</b>	IsSupplementTo
	Online Resource
<b>Type</b>	Service
<b>Series Name</b>	
<b>Language</b>	English

## Data and Resources

Field	Value
<b>URL</b>	<a href="https://mspace.lib.umanitoba.ca/items/d94cdfa8-51f8-4bf4-99a8-98a3630fe0ed/full">https://mspace.lib.umanitoba.ca/items/d94cdfa8-51f8-4bf4-99a8-98a3630fe0ed/full</a>
<b>Name</b>	Spatial distribution of water quality and phytoplankton in the Upper Manitoba Great Lakes

Field	Value
<b>Description</b>	<p>Freshwater eutrophication in Canada poses significant threats to ecosystem health and community wellbeing, particularly in large lake systems like the upper Manitoba Great Lakes (uMBGL). Lakes Winnipegosis, Waterhen, and Manitoba form a critical buffer system within the Nelson River watershed, processing nutrients before they reach Lake Winnipeg and ultimately Hudson Bay and the North Atlantic Ocean. Despite their importance, these lakes remain severely understudied, with minimal spatial and temporal data available about nutrient dynamics and phytoplankton communities. This knowledge gap hinders evidence-based management decisions necessary to protect these valuable freshwater resources from eutrophication driven by modern challenges such as land use management and accelerated climate change. This study provides the first spatially comprehensive, multi-year assessment of offshore water quality in the upperMBGL system. Over three open-water seasons (2016-2017), I collected and analyzed physical, chemical, and biological data across multiple basins to: (1) characterize in-situ offshore biogeochemical and physical conditions; (2) examine spatial and temporal variation through geostatistical analysis; and (3) document phytoplankton diversity and distribution patterns. Results indicate that all three lakes are consistently mesotrophic to eutrophic. Nutrient concentrations generally increased from north to south in both Lakes Winnipegosis and Manitoba during the open water season. Filamentous cyanobacteria dominated summer phytoplankton biomass in both lakes, while cyanobacterial picoplankton dominated by abundance. Significant differences between years and basins suggest limited inter-basin mixing and differential impacts from local land use. This research establishes a critical western science based baseline for understanding water quality dynamics in the Upper Manitoba Great Lakes system, and highlights the urgent need for continued monitoring, community-engaged research, and the weaving of traditional ecological knowledge with western science approaches to ensure these lakes can continue functioning as effective nutrient buffers for Lake Winnipeg.</p>
<b>Format</b>	PDF
<b>Resource Category</b>	documents

## Related Datasets

Field	Value
<b>Title</b>	Morphometric Data for Lake Manitoba
<b>URL</b>	<a href="https://canwin-datahub.ad.umanitoba.ca/data/dataset/lmb-bathym">https://canwin-datahub.ad.umanitoba.ca/data/dataset/ lmb-bathym</a>