

Metadata

Dataset Name	NEMO-ANHA4 Sea ice locking of icebergs
Dataset General Type	Model data
Dataset Type	Dataset
Dataset Level	2
Program Website	
Keyword Vocabulary	Polar Data Catalogue
Keyword Vocabulary URL	https://www.polardata.ca/pdcinput/public/keywordlibrary
Theme	
Title	Marine
URL	https://canwin-datahub.ad.umanitoba.ca/data/en/group/marine
Dataset Status	Planned
Maintenance and Update Frequency	Not planned
Dataset Last Revision Date	2023-11-07
Dataset DOI	10.34992/mq60-c722
Metadata Creation Date	2023
Publisher	CanWIN
Dataset Authors	

**Dataset
Authors 1**

Name Marson, Juliana
Type of Name Personal
Email Juliana.MariniMarson@umanitoba.ca
Affiliation Centre for Earth Observation Science - University of Manitoba
ORCID ID 0000-0001-5074-7370
ORCID
<http://orcid.org/>

Contributors**Contributors 1**

Name
Role
Email
Affiliation
ORCID ID

**Project Data
Curator** Marson, Juliana

**Project Data
Curator
email** Juliana.MariniMarson@umanitoba.ca

**Project Data
Curator
Affiliation** Centre for Earth Observation Science - University of Manitoba

**Dataset
Collection
Start Date** 2002-01-01

**Dataset
Collection
End Date** 2017-12-31

**Sample
Collection**

**Sample
Collection 1**

**Sampling
Instrument
Name**

**Standardized
Sampling
Instrument
Name**

**Sample
Collection
Method Name**

Comment

Method Link

**Method
Summary**

**Method
Description
Type** Methods

**Activity
Collection
Type**

**Preferred
citation**

**Analytical
Instrument**

**Analytical
Instrument 1**

**Analytical
Instrument
Name** Nucleus for European Modelling of the Ocean (NEMO) v3.6

**Standardized
Analytical
Instrument
Name**

**Analytical
Instrument
Identifier Id**

**Analytical
Instrument
Title Type** Alternative Title

**Analytical
Instrument
Identifier Type**

**Analytical
Method**

**Analytical
Method 1**

Analytical Method Name	NEMO - ANHA4 simulations
Method Link	
Method Summary	<p>The atmosphere was forced with CGRF (Smith et al., 2014), Greenland solid and liquid discharges with Bamber et al. (2018) dataset, and river runoff with HydroGFD (Stadnyk et al., 2021). Initial and boundary conditions were taken from GLORYS2v3 (Masina et al., 2017). The model was run from 2002 to 2017, and outputs were obtained as 5-day averages (for gridded variables). Iceberg trajectory files were generated daily. The two simulations, SIL and CTL, only differ with respect to how the sea ice force on icebergs is parameterized. CTL follows the traditional drag parameterization present in NEMO-ICB (Marsh et al., 2015), while SIL introduces a new formulation where icebergs are locked in sea ice if the latter reaches a strength (proportional to sea ice concentration and thickness) that is capable of withstanding all the other forces acting on the iceberg without breaking. See Marson et al. (2023/2024) for more details. ### Output files: **1. griddedOutput.nc** Here, you will find variables related to the ocean and sea ice that are outputted in the ANHA4 grid (544 x 800). All variables are placed at T-points (Arakawa-C grid): • lat: latitude of each grid T-point in ANHA4 • lon: longitude of each grid T-point in ANHA4 • SIL_melttracer: vertically-integrated (m) passive tracer linked to iceberg melt by the end (Dec 31 2017) of the SIL simulation. • CTL_melttracer: vertically-integrated (m) passive tracer linked to iceberg melt by the end (Dec 31 2017) of the CTL simulation. • SIL_uovel_winter: U component of ocean velocity averaged between 0-100 m from 2004-2017 for the months of January to March in the SIL simulation. • SIL_vovel_winter: V component of ocean velocity averaged between 0-100 m from 2004-2017 for the months of January to March in the SIL simulation. • SIL_uivel_winter: U component of sea ice velocity averaged from 2004-2017 for the months of January to March in the SIL simulation. • SIL_vivel_winter: V component of sea ice velocity averaged from 2004-2017 for the months of January to March in the SIL simulation. **2. CTL_trajfiles and SIL_trajfiles folders** The folders contain information from each particle (cluster of bergs) and the environmental conditions surrounding them at each simulation day for CTL and SIL runs. Each file contains a single variable, indicated by the filename. You will notice that there are four files for each variable (*_01.nc through *_04.nc). This was done because of the large number of particles generated by simulation (over 34,000). Therefore, the first 3 files have 10,000 particles each, and the fourth file has the remaining 4,025. The variables are matrices of size 5,840 by 10,000 (except for the ones in file *_04.nc, which are 5,840 by 4,025). Each column contains a time series for one particle, and each row represents day of simulation, from January 01, 2002 to December 31, 2017. Therefore, if you wanted to plot the trajectory of the 10th 'calved' particle in CTL, you would plot all the rows of the 10th column of lon_01.nc versus all the rows of the 10th column of lat_01.nc contained in the CTL_trajfiles folder. Notice that the columns are usually padded with NaN's in the first and last rows, when the particle did not exist (was not yet calved or had already melted completely). So, you can calculate how many days a particle has survived by counting the rows with data in them. The variables available for each simulation are: • xi: particle's position in the ANHA4 grid along x • yj: particle's position in the ANHA4 grid along y • lat: particle's latitude • lon: particle's longitude • length, width, thickness: dimensions of icebergs contained in the particle • icnt: sea ice concentration • ithk: sea ice thickness at the particle's position • uvel, vvel: particle velocity components • uta, vta: wind velocity components at the particle's position • uti, vti: sea ice velocity components at the particle's position • uto, vto: ocean velocity components at the particle's position</p>
Laboratory	
Comments	
Variables Measured	
License Name	Creative Commons Attribution 4.0 International
Licence Type	Open
Embargo Date	
Licence URL	https://spdx.org/licenses

Terms of Access CanWIN datasets are licensed individually, however most are licensed under the Creative Commons Attribution 4.0 International (CC BY 4.0) Public License. Details for the licence applied can be found using the Licence URL link provided with each dataset. By using data and information provided on this site you accept the terms and conditions of the License. Unless otherwise specified, the license grants the rights to the public to use and share the data and results derived therefrom as long as the proper acknowledgment is given to the data licensor (citation), that any alteration to the data is clearly indicated, and that a link to the original data and the license is made available.

Terms of Use By accessing this data you agree to [CanWIN's Terms of Use](/data/publication/canwin-data-statement/resource/5b942a87-ef4e-466e-8319-f588844e89c0).

Awards

Awards 1

Award Title NSERC Discovery

Website

Funder Name NSERC

Funder Identifier Code

Funder Identifier Type

Funder Identifier Scheme

Grant Number RGPIN202102921

Related Resources

Related Resources 1

Related Resource Name

Resource Code

Identifier Type

Relationship To This Dataset

Resource Type Online Resource

Type

Series Name

Publications

Publications 1

Publication Name

<p>Identifier Code</p> <p>Identifier Type</p> <p>Relationship to this dataset</p> <p>Resource Type Online Resource</p> <p>Publication Type</p>
<p>Spatial regions baffin-bay</p>
<p>Spatial extent West Bound Longitude</p>
<p>Spatial extent East Bound Longitude</p>
<p>Spatial extent South Bound Latitude</p>
<p>Spatial extent North Bound Latitude</p>

Data and Resources

URL	https://canwinerddap.ad.umanitoba.ca/erddap/files/NEMO_ANHA4_SealceLocking_309d_54a5_54cc/
Name	NEMO_ANHA4 simulations
Description	**Sea ice driven iceberg drift in Baffin Bay.** Simulations carried out with NEMO at 1/4 degree resolution over the Arctic and Northern Hemisphere Atlantic (ANHA) domain. SIL differs from CTL only in the parameterization of the sea ice force over icebergs; for CTL it is simply a drag force, in SIL sea ice above 90% concentration is capable of locking icebergs. - Please select the **ERDDAP Server - Individual Files** tab below to see and download individual files. - To download the entire CTL and SIL folders, please click the **ERDDAP Server - Zipped Folders** tab.
Format	
Resource Category	data

URL	https://canwin-datahub.ad.umanitoba.ca/data/dataset/06dcb72d-b105-4655-8aab-3c7af6f0e453/resource/5bc299fb-85de-4222-84db-6007bfc44968/download/supplemental-information.pdf
Name	Supplemental Information
Description	Information about the **structure of the data files** , **variables** in each file and **model initialization** .
Format	PDF
Resource Category	supplemental