

Metadata

Title	The Response of extratropical cyclone propagation in the Northern Hemisphere to global warming
	Abstract
Publication general type	journal article
Project Name	[‘4d4cbb98-ee92-4bb0-8765-31c68b4e96e0’]
Keyword Vocabulary	
Keyword Vocabulary URL	
Theme	
Version	1.0
Publisher	Journal of Climate
Date Published	2023
DOI	10.1175/jcli-d-23-0082.1
Authors	
Authors 1	
Author Name	Crawford, Alex
Type of Name	Personal
Email	
Affiliation	
ORCID ID	
Authors 2	
Author Name	McCrystall, Michelle
Type of Name	Personal
Email	
Affiliation	
ORCID ID	

Authors 3

Author Name	Lukovich, Jennifer
Type of Name	Personal
Email	
Affiliation	
ORCID ID	

Authors 4

Author Name	Stroeve, Julianne
Type of Name	Personal
Email	
Affiliation	
ORCID ID	

License Name

Licence Type

Licence Schema Name

SPDX

Licence URL

<https://spdx.org/licenses>

Awards

Awards 1

Funded by	
Website	
Funder Name	
Funder Identifier Code	
Funder Identifier Type	
Funder Identifier Scheme	
Grant Number	

Related Resources

Related Resources 1

Related Resource Name

Identifier Code

Identifier Type

Relationship to this publication

Online Resource

Type

Series Name

Language

Data and Resources

URL	https://canwin-datahub.ad.umanitoba.ca/data/dataset/d44acc5d-ecab-4eab-bd8a-a4bd5669d212/resource/c376c79f-6893-414b-9c6a-1698ad264cb4/download/crawford-the-response-of-extratropical-cyclone-propagation-in-the-northern-hemisphere-to-global-.pdf
Name	The Response of extratropical cyclone propagation in the Northern Hemisphere to global warming
Description	Extratropical storms are common sources of natural hazards like heavy rain and high winds. In our analysis of projections from 18 climate models, we find that winter storms tend to move more slowly over midlatitude North America and the Arctic as the world warms but move faster over the North Pacific Ocean and part of Europe. Slight slowing of summer storms is projected throughout much of the midlatitudes. When storms move slower, their attendant hazards (like heavy precipitation) last longer for the areas they impact. Further, Atlantic winter storms travel more west to east instead of southwest to northeast, so they impact Iceland less often and the British Isles more often. Changes become more dramatic with each additional degree of global warming.
Format	PDF
Resource Category	documents

Related Datasets

Title	Northern Hemisphere Extratropical Cyclone Tracks from ERA-5
URL	https://canwin-datahub.ad.umanitoba.ca/data/en/dataset/nsidc-extratropical-cyclone-tracking-cnect